

Article number: 87035899 Printing possible

Industrial pallet TC3 - 1200 x 1000 mm - with anti-slip top deck - 3 pallet skids - light grey/blue







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	1500 kg
Material	HDPE
Article number	87035899
Weight (kg)	21,5 kg
Temperature range	From -30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	7500 kg
Load capacity in racks	1250
Surface	Closed
Quantity per pallet	15

Properties

- **Pallet variant with the top deck integrally finished with Palgrip anti-slip. This prevents loads from sliding and slipping and prevents empty pallets from sliding on each other**
- **The applied anti-slip is fully wear-resistant**
- **This light grey pallet version is made from high-quality virgin HDPE, offering excellent impact resistance and a long service life**
- **Top and underside of the pallet deck are completely closed**
- **Maximum cleanability and hygiene**
- **The TC3 pallet is easy to clean manually and mechanically**
- **Suitable for direct food contact**
- **High impact resistance thanks to the patented welding of the top deck**
- **High racking load capacity up to 1250 kg**
- **By using 3 fully integrated reinforcement profiles in the pallet deck (longitudinal), the racking load capacity can be increased to up to 2000 kg (on request)**
- **The connections between the pallet blocks, the skids and the pallet deck are extra reinforced, minimising breakage at these critical points**
- **Profiling of the pallet blocks provides better grip for stretch and wrapping film**
- **The skids are chamfered on both sides for trouble-free use with handling equipment**
- **Marking, logos and numbering on request; position to be agreed**
- **Options: Pallet lid / pallet cover - fit-on rims - QR codes and barcodes - fully integrated metal inserts (longitudinal) - RFID transponders - top deck without rims, with 7 mm or 22 mm deck rims, or with 22 mm rims along the deck - version with 5 skids (TC3-5)**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp

Description

The TC3 pallet is our fully closed plastic pallet in industrial size 1200 x 1000 mm. The TC3 is our absolute top performer in terms of hygiene and ease of cleaning. This pallet has proven itself extensively in the food industry, pharmaceuticals and the chemical industry.

In this version, the top side of the pallet deck is fully finished with Palgrip anti-slip. This prevents loads from sliding or slipping, even on an incline and in wet environments. In addition, empty pallets are centred exceptionally well on top of each other without raised rims. Palgrip anti-slip is fully integrated into the surface, making it extremely durable. This means the pallet's anti-slip performance remains guaranteed, without repairs.

The TC pallet in industrial size 1200 x 1000 mm is also available with 5 skids (3 longitudinal and 2 transverse). This pallet variant (TC3-5) is highly suitable for stacking loaded pallets on top of each other — for example bagged goods. For this type of block stacking, even and proper support is essential. In addition, this pallet variant is ideal for automated logistics systems where pallets run in different directions.

Among the pallets available on the market with a completely smooth and closed deck, the TC pallet is the number 1 in terms of impact resistance. This is achieved through the patented welding of the top deck, with maximum wall thicknesses and a smart impact zone.

Matching accessories



99.49716



83291800

Alternative articles



98.120/100.W



99.9HM.10



99.9HM.12

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp