

Article number: 83190800.DUOL1 Printing possible

Plastic pallet CS1-DUO - 2250 x 800 mm - without rims - 3 pallet runners - reinforced







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp

Product specifications

External dimensions (L x W x H)	2250 × 800 × 146 mm
Dynamic load capacity	1000 kg
Material	HDPE
Article number	83190800.DUOL1
Weight (kg)	30,5 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	5000 kg

Properties

- **Large-format plastic pallet size 2250 x 800 x H 146 mm**
- **Made from high quality new virgin HDPE, exceptionally impact-resistant and durable**
- **Suitable for non-food items and packed food products**
- **The CS1-DUO is based on the CS1 pallet, without rims all around (alternative: with rims 7mm on the top deck)**
- **In this version, two CS1 pallets are sustainably welded together**
- **The CS1-DUO pallet is equipped with 3 pallet runners lengthwise**
- **The deck is additionally reinforced with 4 integrated reinforcement profiles in the longitudinal direction; corrosion-resistant design**
- **Extremely strong and robust, making it the ideal solution for large-format loads**
- **RFID technology can be integrated into the pallet without any issues, even retrofitted. The RFID tag holder provides long-lasting protection against external influences**
- **CS1 pallet runners are chamfered on both sides for smooth handling with pallet trucks**
- **The rimless CS1-DUO version prevents damage to large-format products such as panels and (cardboard) sheets in sectors like the packaging industry.**
- **The CS1 DUO pallet is extra strong thanks to an angled connection between the pallet runners and the blocks**
- **This minimises breakage at these sensitive points**
- **The stated dynamic load is based on an evenly distributed load and a wide forklift tine position**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp

Description

Plastic large-format pallet (2250 x 800 x H 146 mm), type CS1-DUO, made from high quality new virgin HDPE. Based on two pallets of type CS1, which are sawn and then sustainably welded together. Equipped with 3 pallet runners longitudinally, underside with blocks and pallet runners open (ribbed). Without rims on the pallet deck. The top deck is supplied as standard with 4 reinforcement profiles in the longitudinal direction. Static load capacity is 5000 kg and dynamic load capacity 1000 kg. Maximum dynamic load of 1000 kg with evenly distributed load and a wide forklift tine position. Also available in a version with rims 7mm on the top deck. Various organisations use DUO pallets to their full satisfaction.

General

The dimensions of custom-made pallets are aligned with the customer’s requirements as much as possible. However, the existing pallet construction is decisive for the welding work. As a result, the achievable dimensions may deviate by a few centimetres.



Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com/wp