
Article number: 83325201.QUAL1A Printing possible

D3-5 QUATTRO plastic pallet - 2050 x 2000 mm - with 7 mm raised edges all around - 5 pallet skids - reinforced







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	2050 × 2000 × 150 mm
Dynamic load capacity	1250 kg
Material	HDPE
Article number	83325201.QUAL1A
Weight (kg)	67 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	5000 kg
Edge height	7 mm

Properties

- **Large-format plastic pallet with dimensions 2050 x 2000 x H 150 mm**
- **Made from high-quality virgin HDPE, offering excellent impact resistance and durability**
- **Suitable for non-food products and food**
- **The D3-5 QUATTRO is based on the D3-5 pallet and features 7 mm raised edges all around - alternatively available without raised edges**
- **In this version, four D3-5 pallets are permanently welded together**
- **The D3-5 pallet is fitted with 5 pallet skids running lengthwise and 2 crosswise**
- **The pallet deck is additionally reinforced with 6 integrated reinforcement profiles running lengthwise and 2 crosswise - in a corrosion-resistant design**
- **Particularly strong and robust, making it the ideal solution for large-format loads**
- **The D3-5 pallet is extra strong thanks to the angled connection between the pallet skids and blocks**
- **This reduces breakage at these vulnerable points to a minimum**
- **The D3-5 pallet skids are bevelled on both sides for trouble-free handling with pallet trucks**
- **The raised edges around the D3 help prevent loads from sliding and empty pallets from shifting against each other**
- **RFID technology can be easily integrated into the pallet, even retrospectively. The RFID tag holder provides durable protection against external influences**
- **The top deck of the D3-5 QUATTRO can optionally be fitted with 32 continuous anti-slip rubber inserts. These help prevent both the load from sliding on the top deck and the pallet from slipping on the forklift forks**
- **The stated dynamic load capacity is based on an evenly distributed load and a wide forklift fork position**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Description

Large-format plastic pallet (2050 x 2000 x H 150 mm), type D3-5 QUATTRO, made from high-quality virgin HDPE. Based on four D3-5 pallets, which are cut to size and then permanently welded together. Fitted with 5 pallet skids running lengthwise and 2 crosswise. The underside of the blocks and pallet skids is open and ribbed. With 7 mm raised edges all around.

The top deck is fitted as standard with 6 reinforcement profiles running lengthwise and 2 crosswise. Static load capacity is 5,000 kg and dynamic load capacity is 1,250 kg. The maximum dynamic load is 1,000 kg with an evenly distributed load and a wide forklift fork position.

Also available in a version without raised edges on the top deck. Various organisations already use these large-format pallets successfully.

General

The dimensions of custom-made pallets are matched to the customer’s requirements as closely as possible. However, the existing pallet construction determines the welding possibilities. As a result, the achievable dimensions may vary by a few centimetres.



TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com