
Article number: 83232230 Printing possible

Euro pallet CR1 ECO - 1200 x 800 mm - without rims - with antislip strokes - reinforced







Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 800 × 160 mm
Dynamic load capacity	1750 kg
Material	Recycled ECO-HDPE
Article number	83232230
Weight (kg)	19 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Black
Static load capacity	7500 kg
Load capacity in racks	1750
Quantity per pallet	15

Properties

- **Very robust pallet for truly heavy-duty work**
- **With 3 fully integrated metal inserts in the pallet deck**
- **Extra strong thanks to the angled connection between the skids and the blocks**
- **Pallet skids are chamfered on both sides for trouble-free handling**
- **Racking load capacity up to 1750 kg**
- **Wide anti-slip strips on the pallet deck**
- **Recesses in the pallet rim for lashing straps to prevent shifting**
- **Made from high-quality ECO regranulate: suitable for packed food products**
- **Blocks closed at the underside**
- **Profiled, reinforced pallet skids**
- **With profiled corner blocks for better grip of stretch and wrapping film**
- **No raised rims all around**
- **Marking, logos or numbering on request; position to be agreed**
- **Options: Pallet lid / pallet cover - fit-on rims - QR codes and barcodes - fully integrated metal inserts - RFID transponders**

Description

Our CR1 Euro pallet is designed as a reliable and functional solution for general logistics applications in the heavy-duty segment. With dimensions of 1200 x 800 x H 160 mm and a particularly robust construction, this pallet provides a solid base for transport and storage - wherever high requirements apply.

Safety is central to the CR1 design. Because there are no raised rims, the pallet deck is fitted with wide anti-slip strips to keep loads and empty pallets securely in place. The recesses in the pallet rim are useful for fastening lashing straps safely and preventing load shifting during transport.

The pallet is equipped with 3 fully integrated reinforcement profiles in the pallet deck and 3 robust longitudinal skids, with closed blocks on the underside and profiled skids. These features provide high load capacity and trouble-free handling when moving different types of loads.

With a static load capacity of 7500 kg, a dynamic load capacity of 1750 kg and a racking load capacity of 1750 kg, this CR1 offers sufficient strength for the most demanding logistics applications. Truly heavy-duty work is exactly what this CR1 is built for.

This CR1 version is made from ECO regranulate: a high-quality recycled material with excellent material properties at an attractive price.

In short, the CR1 Euro pallet is a robust and functional pallet for a wide range of logistics applications. If we have sparked your interest, please contact us - we will be happy to arrange a demonstration.

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories



99.61660



83760800-2



83750800-4



99.8HM.12




82550801



99.49715


Alternative articles




83332202



87065201



83232242



83230801

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com