



Article number: 83360206

Printing possible



Euro pallet - D1 ECO - 1200 x 800 mm - with rims 22 mm - black



Product specifications

| | |
|----------------------------------|-------------------------------------|
| External dimensions (L x W x H) | 1200 x 800 x 150 mm |
| Dynamic load capacity | 1000 kg |
| Material | Recycled ECO-HDPE |
| Article number | 83360206 |
| Weight (kg) | 12 kg |
| Temperature range | -30°C to +40°C, briefly up to +90°C |
| Color | Black |
| Static load capacity | 5000 kg |
| Edge height | 22 mm |
| Load capacity in racks | 400 |
| Quantity per pallet | 16 |

Properties

Plastic Euro pallet (1200 x 800 x H 150 mm) - part of the BLACK LINE series

With extra-high raised edges (22 mm) along the pallet deck, instead of on the deck; this results in a usable deck dimension of 1200 x 800 mm between the edges

Stacking bins can therefore be stacked upside down on the pallet and transported safely, even without securing the bins with tension straps

The pallet is also highly suitable for transporting VDA KLT automotive bins

Strong medium pallet with low tare weight and therefore easy to handle

The load capacity can be significantly increased by adding reinforcement profiles in the pallet deck

The load capacity in pallet racks is 400 kg. After adding 3 longitudinal inserts, this increases to 1000 kg; after adding 4 longitudinal inserts, the load capacity in pallet racks is 1250 kg

Underside with open pallet blocks and pallet skids featuring reinforcement ribs

The D1 ECO pallet is extra strong due to the angled connection between the blocks, the pallet runners and the pallet deck

The pallet runners are chamfered on both sides for trouble-free handling

Manufactured from high-quality ECO regranulate for high impact resistance and long service life

Options: pallet lid – fit-on rims – reinforcement profiles – QR codes and barcodes – RFID transponders – 22 mm rims on the deck – 7 mm rims on the deck – without rims (optionally with pop-ups) – continuous anti-slip rubber strips on the deck

Description

Our D1 ECO pallet, with its robust 22 mm raised edges along the deck, is a true special-purpose pallet for applications with plastic stacking bins and crates. This returnable packaging can be stacked upside down on this pallet version and then transported without any problems - even without tension straps. This pallet is also ideal for VDA-KLT automotive bins. These bins are neatly centred on the pallet, despite their different base structure. This pallet version is also widely used in combination with dishwasher baskets 600 x 400 mm. Glass crates and plate baskets stand firmly centred on this plastic pallet.

This D1 ECO pallet has a low tare weight, is equipped with 3 longitudinal skids and can be upgraded from a medium-duty pallet to a true racking pallet using reinforcement profiles. The D1 ECO pallet is extra reinforced at several vulnerable points, such as the transitions from the pallet blocks to the pallet skids and to the pallet deck. Made from high-quality HDPE ECO regranulate for sustainable use and an attractive price.

Matching accessories



Alternative articles

