
Article number: 83360201 Printing possible

Euro pallet - D1 ECO - 1200 x 800 mm - with rims 7 mm - black





TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 800 × 150 mm
Dynamic load capacity	1000 kg
Material	Recycled ECO-HDPE
Article number	83360201
Weight (kg)	12 kg
Temperature range	-30°C tot +40°C / kortstondig tot +90°C
Color	Black
European Article Number	7424905823893
Static load capacity	5000 kg
Edge height	7 mm
Load capacity in racks	400
Quantity per pallet	16

Properties

Strong medium pallet with a low tare weight. Easy to handle

Equipped with 3 longitudinal pallet runners

The load capacity can be significantly increased by adding corrosion-resistant reinforcement profiles in the pallet deck

The load capacity in pallet racks is 400 kg. When 3 longitudinal inserts are added, this increases to 1000 kg; with 4 longitudinal inserts, the load capacity in pallet racks is 1250 kg

Underside with open pallet blocks and pallet runners, featuring reinforcement ribs

The D1 ECO pallet is extra strong due to the angled connection between the pallet blocks, the pallet skids and the pallet deck

Pallet runners are chamfered on both sides for trouble-free handling

Manufactured from high-quality ECO regranulate for high impact resistance and long service life

The D1 ECO pallet is widely used for custom-made plastic pallets, with or without reinforcement profiles in the deck

Options: pallet lid - fit-on rims - reinforcement profiles - QR codes and barcodes - RFID transponders - 22 mm edges on the deck - 7 mm edges on the deck - without edges (optionally with pop-ups) - continuous anti-slip rubber strips for the deck

Description

Our D1-ECO plastic Euro pallet is a true all-rounder and is therefore widely used throughout the entire logistics sector. The pallet has a low tare weight, making it easy to handle. By adding reinforcement profiles, the pallet can be upgraded from a medium pallet to a genuine rackable pallet. Companies in both the non-food sector and retail successfully use this pallet.
This D1 variant is equipped with 7 mm raised edges on the pallet deck, all around. This prevents load units from slipping and keeps empty pallets from sliding against each other. The D1 pallet is additionally reinforced at several vulnerable points, such as the transitions from the pallet blocks to the pallet skids and to the pallet deck. Made of high-quality HDPE ECO-regranulate for durable and long-term use.

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories



99.61660



83290800



82550801



99.49715

Alternative articles



99.61660



83290800



99.49715

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com