Article number: 87065200 Printing possible

Euro pallet TC1 ECO - 1200 x 800 mm - without rims - 3 pallet runners - black







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 800 × 160 mm
Dynamic load capacity	1500 kg
Material	Recycled ECO-HDPE
Article number	87065200
Weight (kg)	18 kg
Temperature range	-30°C to +40°C / briefly up to +90°C
Color	Black
Static load capacity	7500 kg
Load capacity in racks	1000
Quantity per pallet	15

Properties

- **Top and underside of the deck are completely smooth and closed**
- **Maximum cleanability and hygiene**
- **Manual cleaning is easy and trouble-free**
- **Suitable for direct contact with food**
- **High impact resistance thanks to the patented welding of the top deck**
- **The TC1 ECO is produced from high-quality ECO regranulate**
- **The high-grade recycled material guarantees a homogeneous welding result and high pallet quality**
- **Pallet loads and empty pallets are secured and aligned by 7 mm raised rims**
- **High load capacity up to 1000 kg in pallet racking**
- **By using 3 fully integrated reinforcing profiles in the deck (lengthwise), the racking load can be increased up to 1750 kg: on request**
- **Robust connection between the pallet blocks and the runners**
- **Pallet runners are chamfered on both sides for trouble-free handling**
- **With profiled corner blocks for improved grip of stretch and wrap film**
- **Marking, logos and numbering on request. Location by arrangement**
- **Options: pallet lid / pallet cover - pallet collars - QR codes and barcodes - fully integrated metal inserts (lengthwise) - RFID transponders - top deck with 7 mm rims, 22 mm rims, or 22 mm outer rims - fully integrated Palgrip anti-slip top deck**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Description

The TC1 pallet is our fully closed plastic pallet in Euro size 1200 × 800 mm. This pallet version with 3 runners is part of the Totally Closed (TC) series. This product range has more than proven itself in the food sector, pharmaceuticals and the chemical industry - wherever cleanability and hygiene are important.
The ECO regranulate version is a high-quality recycled pallet used in the high-tech sector, for example in cleanrooms and other technical production areas. Here too, easy cleaning is essential. In addition, this ECO pallet is widely used for supplying the food industry, for example with packaging. Thanks to the high-quality recycled material, the production of the TC1 ECO achieves a very homogeneous welding result and a high product quality. As a result, the TC1 in ECO version offers excellent impact resistance and a high load capacity - comparable even to a pallet made from virgin material.
Among pallets available on the market with a completely smooth and closed deck, the TC pallet is the number one in terms of impact resistance. This is achieved through the patented welding of the top deck, with maximum wall thicknesses and a smart impact zone. The deck is not fitted with raised rims. This pallet variant is often used when goods are mechanically pushed off the pallet, or onto it. In that case, the rimless TC1 ECO is an excellent solution.

Matching accessories



83298800



82550801




99.49715



83730800


Alternative articles



83501880



83199811



83230801



83100801

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com