Article number: 30.522.22R Printing possible

Storage bin type Euronorm - 600 x 400 x H 210 mm - with picking opening on the long side - optionally with dividers







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	600 × 400 × 210 mm
Internal dimensions (L x W x H)	570 × 370 × 195 mm
Handles	Open
Sidewalls	Closed
Material	PPC
Article number	30.522.22R
Weight (kg)	2 kg
Bottom	Closed, reinforced
Gripping aperture size	535xH135mm
Quantity per pallet	40

Properties

- **Euronorm storage bin, dimensions: 600 x 400 x H 210 mm**
- **With picking opening on one long side**
- **Picking opening dimensions: 535 x H 135 mm**
- **Wall height below the picking opening: 43 mm - can be used for content labelling**
- **Fully closed design - both walls and base**
- **With reinforced base**
- **The bin is equipped with 7 holders for plastic dividers**
- **Distance between the holders for the dividers: 57 mm**
- **Maximum 7 dividers - for 8 compartments**
- **Both outer compartments are wider: opening 85 mm / including corner 100 mm**
- **The dividers are made of flexible plastic (HDPE) and are easy to install or reposition**
- **After installation, the dividers are fixed in the base holders - so they do not shift**
- **Fitted with open handgrips**
- **Food-safe - for safe contact with food**
- **Options: lid - loose dividers - printing**

Description

Plastic stacking bin in Euronorm format (600 x 400 x H 210 mm) with a **picking opening on the long side**. The bin is equipped with 7 holders for a plastic divider. The dividers can be fixed in the top rim of the bin and in the holder on the base of the bin. The distance between the holders is 57 mm. The Euronorm storage bin can be fitted with a **maximum of 7 dividers**. However, the configuration is flexible and easy to adjust. Due to its standardised dimensions, the storage bin can be stacked with all other Euronorm stacking bins and is perfectly compatible with standardised pallets, mobile plastic trolleys or roll containers. The stacking bin is food-safe and is fitted with practical open handgrips. A plastic rim is fitted below the picking opening for labelling the contents. Designed with a reinforced base. **Picking opening dimensions: 535 x H 135 mm** - distance between the holders for the dividers: 57 mm (max. 7 pieces).

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories



30.522.22

Alternative articles



30.642.MB2.1



30.432.MB2.1



30.622.GOH.1

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com