

Article number: 12.27250.BD

Printing possible



# Funnel base pallet box GEO box - 1000 x 600 mm - 180 liter - with slide valve 120 mm - on 2 pallet runners - red-brown



## Product specifications

External dimensions ( L x W x H)	1000 x 600 x 662 mm
Internal dimensions (L x W x H)	929 x 544 x 519 mm
Capacity	180 liter
Sidewalls	Closed, with smooth inner walls.
Material	HDPE
Article number	12.27250.BD
Weight (kg)	23 kg
Temperature range	-30°C to +40°C
Color	Red
Bottom	Closed and reinforced, with a central bottom outlet.
Max. load capacity per box	225 kg
Max. static stacking load	1000 kg
Max. dynamic stacking load	500 kg

## Properties

**Small-format plastic pallet box with funnel base on 2 pallet runners - fully plastic**

**Type: Based on the GEO box pallet box 1000 x 600 x H662 mm - 2 pallet runners - red-brown**

**Load capacity: 225 kg**

**Capacity: 180 liter**

**Material: PE plastic (polyethylene) - corrosion-free and durable**

**Base: Tapered funnel base**

**Angle: The sloping base with a 40° incline supports easy emptying without tilting**

**Opening: Central opening 120 x 120 mm**

**Slide valve: Manually operated from the short side for controlled release of contents**

**Application: Ideal for dry bulk goods such as granules, seeds, grain, dry animal feed, wood pellets and other small components**

**Design: Smooth, funnel-shaped interior to promote easy product flow**

**Stacking: Stable stackable with rim**

**Stability: Very robust pallet box that is widely used**

**Impact protection: Double-wall structure all around**

**Food safety: Suitable for direct contact with food**

**Cleaning: Easy to clean thanks to the smooth design. The plastic is resistant to most cleaning agents and chemicals**

**Limitations: Not suitable for liquids and moist products. Less suitable for powders (test in advance)**

**Options: RFID code - QR code or barcode - central outlet opening 140 x 140 mm**

## Description

GEO box pallet container with funnel base (1000 x 600 x H662 mm – 180 liter). A small-format plastic pallet box with a bottom outlet, centrally positioned in the base of the pallet box. In the lower section of the pallet box, a tapered hopper base is welded in with a central opening of 120 x 120 mm. This opening is closed with a slide valve that can be manually operated from the short side. The GEO box, with its smooth interior and funnel-shaped base, is ideal for controlled dosing of dry bulk goods such as granules, seeds, grain, dry animal feed, wood pellets and other small components. Thanks to the sloping base at a 40° angle, the product flows out easily when the slide valve is opened. Tilting and tipping are therefore not necessary. The container is suitable for use with food.



## Matching accessories



## Alternative articles

