
Article number: 83335851 Printing possible

Industrial pallet CR3 – 1200 x 1000 mm – with 3 skids – with 5 mm raised rims – with anti-slip strips – reinforced – grey/blue







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	1750 kg
Material	HDPE
Article number	83335851
Weight (kg)	23,5 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	7500 kg
Edge height	5 mm
Load capacity in racks	1400
Quantity per pallet	15

Properties

- **Extremely robust pallet for truly heavy-duty work**
- **Equipped with 3 longitudinal skids**
- **Underside of the blocks and skids is ribbed - for increased grip in automated storage and conveyor systems**
- **With 5 fully integrated metal inserts in the pallet deck**
- **The reinforcement profiles are hermetically enclosed and made from corrosion-resistant spring steel**
- **Extra strong thanks to the angled connection between the skids and the blocks**
- **Racking load capacity up to 1,400 kg**
- **Wide anti-slip strips on the deck, plus 5 mm raised rims**
- **Skids are chamfered on both sides - for easy handling with hand pallet trucks, etc.**
- **Made from high-quality virgin HDPE, providing excellent impact resistance and freeze resistance**
- **Suitable for direct food contact**
- **Marking, logos and numbering on request; position to be agreed**
- **Options: pallet lid / pallet cover - pallet collars - QR codes and barcodes - RFID transponders - top deck without rims or with 7 mm rims**

Description

Our CR3 industrial pallet has been designed as a reliable and functional solution for general logistics applications in the heavy-duty segment - including in the food industry. With a size of 1200 x 1000 x H 160 mm and a highly robust construction, this pallet provides a solid base for transport and storage wherever high demands are placed.

Safety is central to the CR3 design. The pallet deck features raised rims and 5 anti-slip strips. This ensures that empty pallets align neatly when stacked and, of course, that the load is safely centred.

The pallet is equipped with 5 fully integrated reinforcement profiles in the deck and 3 robust longitudinal skids. The blocks and skids are open (ribbed). These features provide sufficient load capacity and trouble-free handling when moving many different types of loads - also in automated storage and conveyor systems.

With a static load capacity of 7,500 kg, a dynamic load capacity of 1,500 kg and a racking load capacity of 1,400 kg, this CR3 offers enough strength for most logistics applications. The truly heavy work is definitely in safe hands with this CR3.

In short, the CR3 industrial pallet is a robust and functional pallet for a wide range of logistics applications. If we have sparked your interest, please contact us - we will be happy to arrange a demonstration.



TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories




83291800



99.49716


Alternative articles



83335202



87035841



83230801

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com