
Article number: 83330851 Printing possible

Industrial pallet CR3-5 - 1200 x 1000 mm - with 5 skids - with 5 mm raised rims - with anti-slip strips - reinforced - grey/blue







TRANSOPLAST
Improves your Logistics

Transoplast
+31 314 664400
website@transoplast.com
transoplast.com/wp

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	1500 kg
Material	HDPE
Article number	83330851
Weight (kg)	25 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	7500 kg
Edge height	5 mm
Load capacity in racks	1400
Quantity per pallet	15

Properties

- **Extremely robust, top-of-the-range plastic pallet**
- **Equipped with 5 skids - 3 longitudinal and 2 transverse**
- **Underside of the blocks and skids is ribbed - for increased grip in automated storage and conveyor systems**
- **Palgrip anti-slip strips integrated in all directions on the deck**
- **Beneath these, 5 reinforcement profiles are also integrated in all directions**
- **The reinforcements are hermetically enclosed and made from corrosion-resistant spring steel**
- **Racking load capacity up to 1,750 kg**
- **Deck fitted with 5 mm raised rims all around**
- **Skids are chamfered on both sides - for easy handling with hand pallet trucks, etc.**
- **Made from high-quality virgin HDPE, offering excellent impact resistance and suitability for deep-freeze applications**
- **Suitable for direct contact with food**
- **Marking, logos and numbering on request; position to be agreed**
- **Options: pallet lid / pallet cover - pallet collars - QR codes and barcodes - RFID transponders - top deck without rims or with 7 mm rims**

TRANSOPLAST
Improves your Logistics

Transoplast
+31 314 664400
website@transoplast.com
transoplast.com/wp

Description

The CR3-5 industrial pallet with 5 skids is a robust and versatile plastic pallet for heavy internal and industrial applications - including in the food industry. The pallet is equipped with five skids - three longitudinal and two transverse — making it ideal for automated storage and transport systems. The underside of the skids and the blocks is ribbed, optimising grip in these systems.
This CR3-5 variant features anti-slip strips on the deck in all directions to centre loads. Beneath these welded anti-slip strips, 5 metal inserts have also been integrated in all directions. These reinforcement profiles are hermetically enclosed and additionally made from corrosion-resistant material.
In addition to the anti-slip, the deck is fitted with 5 mm raised rims all around. This ensures empty pallets are safely centred when stacked - we do not rely on anti-slip alone.
Thanks to the overall pallet design with skids and deck reinforcements, the CR3-5 offers an impressive racking load capacity of up to 1,400 kg. This makes it one of our top performers for industrial use.
Besides load capacity, impact resistance is also crucial for a plastic pallet. Naturally, the complete pallet design is key - and the CR3-5 construction is built to handle this well. The plastic material used also plays a major role. That is why this version is made from high-quality virgin HDPE. This is essential for impact resistance as well as temperature resistance. This CR3-5 version can be used in a shock freezer without any issues.
In short, this CR3-5 pallet variant is designed for a very wide range of heavy-duty applications. If certain features are less critical, the CR3-5 is also available in “downsized” versions (3 skids - without steel - without anti-slip strips - made from ECO regranulate). The core remains the same: a robust pallet body with excellent performance.

Matching accessories




99.49716



83291800


Alternative articles



83230801



87030840



83332202

Transoplast
+31 314 664400
website@transoplast.com
transoplast.com/wp