
Article number: 83325200 Printing possible

Industrial pallet D3 ECO - 1200 x 1000 mm - with 3 skids - without rims - black







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 150 mm
Dynamic load capacity	1000 kg
Material	Recycled ECO-HDPE
Article number	83325200
Weight (kg)	14 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Black
Static load capacity	5000 kg
Load capacity in racks	400
Quantity per pallet	16

Properties

- **Industrial pallet type D3 ECO (1200 x 1000 x H 150 mm) without rims. Optional with pop-ups for centring empty pallets in a stack**
- **Strong medium-duty pallet with low tare weight - easy to handle**
- **Fitted with 3 longitudinal skids**
- **Racking capacity is 400 kg. With corrosion-resistant reinforcement profiles, this can be increased significantly (also retrofittable)**
- **After inserting 3 longitudinal inserts, racking capacity increases to 1,000 kg - after inserting 4 longitudinal inserts, racking capacity is 1,250 kg**
- **Underside of blocks and skids open with reinforcing ribs**
- **D3 ECO pallet is extra strong thanks to the angled connection between the blocks, the skids and the deck**
- **Skids are chamfered on both sides for trouble-free handling**
- **Made from high-quality ECO regranulate for high impact resistance and a long service life**
- **Suitable for packaged food**
- **The D3 ECO pallet is frequently used for custom-made plastic pallets; with or without reinforcement profiles in the deck**
- **Marking, logos or numbering on request; position to be agreed**
- **Options: pallet lid / pallet cover - pallet collars - QR codes and barcodes - RFID transponders - 22 mm rims on the deck - 22 mm rims along the deck - without rims (optionally with pop-ups) - continuous anti-slip rubbers (for top and underside of the deck)**

Description

This D3 ECO pallet variant is not fitted with raised rims. When loads are pushed onto or off the pallet mechanically, raised rims can be obstructive. For this reason, we also supply the D3 ECO without rims. To centre empty pallets without rims in a stack, our D3 pallets can be equipped with pop-ups. This must be specified at production or when ordering.
The pallet is additionally reinforced at a number of vulnerable points, such as the transitions from the blocks to the skids and to the deck. Made from high-quality HDPE ECO regranulate for an attractive price and sustainable use.

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories



83291800



99.49716

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com