
Article number: 83520861 Printing possible

Industrial pallet E3-5 - 1200 x 1000 mm - with 5 mm rims - with 5 pallet runners - reinforced







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	1500 kg
Material	HDPE
Article number	83520861
Weight (kg)	24,5 kg
Temperature range	-30°C to +40°C / briefly up to +90°C
Color	Grey
Static load capacity	7500 kg
Edge height	5 mm
Load capacity in racks	1400
Quantity per pallet	15

Properties

- **Equipped with 5 pallet skids (3 longitudinal and 2 transverse). Undersides of blocks and skids ribbed**
- **Made from virgin plastic. Suitable for direct food contact**
- **Material with high impact resistance**
- **The pallet deck is fitted with 6 integrated reinforcement profiles (4 longitudinal and 2 transverse), made from corrosion-resistant steel**
- **5 mm raised rims all around prevent loads from slipping and prevent empty pallets from sliding on each other**
- **Extra strong thanks to the angled connection between the blocks, the skids and the deck, minimising breakage at these critical points**
- **Pallet skids are completely flat and straight, without steps - for trouble-free operation in automated systems**
- **Pallet skids are chamfered on both sides for easy handling**
- **With profiled corner blocks for better grip of stretch and wrapping film**
- **Top deck with integrated provisions - on both long sides - for fitting RFID transponders (also possible as a retrofit)**
- **High racking load capacity of 1400 kg**
- **Marking, logos or numbering on request; position to be agreed**
- **Options: Pallet lid / pallet cover - fit-on rims - version without rims - version with 7 mm or 22 mm deck rims - QR codes and barcodes - RFID transponders - anti-slip clips for the underside of the pallet deck - ECO version without virgin material - version with 3 skids**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Description

Our E3-5 plastic industrial pallet is a heavy-duty pallet in a class of its own. It is perfectly equipped for universal applications where the pallet really has to withstand rough handling. When designing the E3-5 pallet, the main focus was on a pallet deck with high load capacity and excellent impact resistance. The deck had to be injection moulded in one piece - partly for cost reasons, and partly to optimise impact resistance. The second focus was on the pallet skids. These also had to be moulded in one piece and, of course, form an integral part of the pallet. Cost efficiency and maximum impact resistance were key considerations here as well. A final important requirement was that the skids had to be perfectly straight - without steps at the blocks and without openings.
The result is a plastic pallet that is embraced by a wide range of industries, especially companies handling bagged goods or crates and boxes where block stacking is used. In addition, the pallet is highly suitable for automated warehouses where minimal deflection is required. The E3-5 pallet can therefore be used widely in logistics, while also strongly appealing to a specific target group. Importantly, the price point of the E3-5 is also attractive: the fact that it is efficiently moulded in one piece is reflected in its cost.

Matching accessories




83291800



99.49716

Alternative articles



83332202

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com