

Article number: 83341881 Printing possible

Industrial pallet L3 - 1200 x 1000 mm - with 5 mm rims - 3 pallet skids with anti-slip - pallet deck with anti-slip







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	2000 kg
Material	HDPE
Article number	83341881
Weight (kg)	26 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	7500 kg
Edge height	5 mm
Load capacity in racks	2000
Quantity per pallet	16

Properties

- **The L3 is a heavy-duty pallet in a class of its own. Made from high-quality virgin plastic. Suitable for direct food contact with excellent impact resistance**
- **Equipped with 3 longitudinal skids. The underside of the skids is hygienically closed and fitted with wear-resistant anti-slip soles**
- **Anti-slip skids provide grip in automated conveying systems**
- **The pallet deck is reinforced with 5 corrosion-resistant reinforcement profiles that are fully integrated - hermetically enclosed beneath the anti-slip strips**
- **Anti-slip strips on the pallet deck prevent loads from sliding, even in wet environments**
- **Skids are perfectly flat and straight, without steps - for smooth running on conveyor lines**
- **Extra strong thanks to the angled connections between the blocks, the skids and the deck, minimising breakage at these critical points**
- **Skids are chamfered on both sides for easy handling**
- **With profiled corner blocks for better grip of stretch and wrapping film**
- **Very high racking load capacity up to 2000 kg**
- **The L3 dimensions match those of wooden Euro pallets, including pallet height**
- **Particularly suitable for automated logistics processes and pallet shuttle systems where excessive deflection of pallets or skids may cause disruptions - so use on these systems is trouble-free**
- **Designed for an exceptionally long service life and high ease of use**
- **Marking, logos or numbering on request; position to be agreed**
- **Options: Pallet lid / pallet cover - fit-on rims - version without deck rims - QR codes and barcodes - RFID transponders**

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Description

The L3 plastic pallet in industrial format is the ultimate heavy-duty pallet for intralogistics applications. With a racking load capacity of up to 2000 kg, this pallet is truly in a class of its own. In addition, the L3 is equipped with all features and functions required for trouble-free use and a long, maintenance-free service life. The pallet deck is fitted with Palgrip anti-slip strips to centre loads in all possible positions, even in wet environments. The skids are also fitted as standard with wear-resistant anti-slip soles on the underside, ensuring problem-free use on conveyor lines and in automated storage systems.
The pallet deck is reinforced, and the skids are exceptionally robust thanks to the applied anti-slip soles. Together, these product features ensure minimal deflection of the L3 pallet. This is an important factor in automated warehouses, where tolerances are often tight. In these internal logistics systems, the L3 is therefore the absolute number one.

Matching accessories




83291800



99.49716

Alternative articles



83241880



87035841

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com