Article number: 87035841 Printing possible

Industrial pallet TC3 - 1200 x 1000 mm - with 7 mm rims - 3 pallet skids - light grey







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1200 × 1000 × 160 mm
Dynamic load capacity	1500 kg
Material	HDPE
Article number	87035841
Weight (kg)	21,5 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
European Article Number	7424902896807
Static load capacity	7500 kg
Edge height	7 mm
Load capacity in racks	1250
Quantity per pallet	15

Properties

- **Top and underside of the pallet deck are completely smooth and closed, without external rib structures**
- **Maximum cleanability and hygiene**
- **The TC3 pallet is easy to clean manually and mechanically**
- **Grey base version made from high-quality virgin HDPE, offering excellent impact resistance and a long service life**
- **Suitable for direct food contact**
- **High impact resistance thanks to the patented welding of the top deck**
- **Loads and empty pallets are centred by 7 mm raised rims**
- **High racking load capacity up to 1250 kg**
- **By using 3 fully integrated reinforcement profiles in the pallet deck (longitudinal), the racking load capacity can be increased to up to 1750 kg (on request)**
- **Robust connection between the pallet blocks and the skids**
- **Pallet skids are chamfered on both sides for trouble-free handling**
- **With profiled corner blocks for better grip of stretch and wrapping film**
- **Marking, logos and numbering on request; position to be agreed**
- **Options: Pallet lid / pallet cover - fit-on rims - QR codes and barcodes - fully integrated metal inserts (longitudinal) - RFID transponders - fully Palgrip anti-slip top deck - top deck without rims, with 7 mm or 22 mm rims**

Description

The TC3 pallet is our fully closed plastic pallet on 3 skids in ISO size 1200 x 1000 mm. This pallet variant is part of the TC pallet family - the absolute top performers on the market when it comes to cleanability and hygiene.
TC pallets are “Totally Closed”, i.e. completely smooth and closed. For this reason, this pallet series is widely used in the food industry, pharmaceuticals and the chemical industry.
Thanks to the patented welding of the top deck, maximum impact resistance is achieved. In addition, the connection between the pallet blocks and the skids is reinforced to the maximum. Everything for a long service life and sustainable use.
The pallet deck is fitted with 7 mm raised rims all around. In most cases this is sufficient to centre loads and pallets stacked on top of each other. Practical tests are the best benchmark here. If maximum anti-slip is required, our Palgrip variant is the best solution.

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories




83291800



99.49716

Alternative articles



87035899



87035341



87035841.DUO



87035241

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com