Article number: 83599803

# Pallet lid 800 x 600 mm - for plastic pallet type D2 - for use with Euro standard bins - black







TRANSOPLAST
Improves your Logistics

**Transoplast**
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

## Product specifications

| | |
|---|---|
| External dimensions ( L x W x H) | 818 × 619 × 74 mm |
| Material | Recycled HDPE |
| Article number | 83599803 |
| Weight (kg) | 2,8 kg |
| Temperature range | -30°C to +40°C, briefly up to +90°C |
| Color | Black |
| Quantity per pallet | 60 |

## Properties

- **Robust pallet lid 800 x 600 mm made from recycled HDPE**
- **Pallet lid specifically for use with plastic pallet type D2**
- **With profiling on the pallet lid that matches the runner profiling of the D2 plastic pallet. This ensures accurate centring of the D2 pallet on the pallet lid**
- **For use with non-food products**
- **Also suitable for use with packaged food products**
- **Lid size including rims: 818 x 619 x 74 mm**
- **Centres a complete pallet load with Euro standard bins (2 units of 600 x 400 mm per layer)**
- **Suitable for all common Euro standard bin ranges (VDA-KLT, E bins, etc.)**
- **Creates a stable transport unit**
- **Prevents product damage and contamination**
- **Ensures fire-safe use of (high-bay) warehouses with sprinkler systems**
- **With provisions for applying lashing straps**
- **Pallet lids are nestable. Nesting height 30 mm**
- **Options: QR codes and barcodes - RFID transponders - ESD version**

## Description

The pallet lid 800 x 600 mm is designed to centre Euro standard bins on our half Euro pallet type D2. A half Euro pallet fits 2 bins of 600 x 400 mm per layer. The pallet lid fits completely over these bins. Because the lid closes perfectly, a stable transport unit is created. Using this pallet lid also allows another D2 pallet to be stacked on top. The profiling on top of the lid matches the profiling of the D2 pallet runners, preventing the pallet from shifting on the lid. This allows multiple pallet units to be stacked stably.
The pallet lid is equipped with integrated strapping channels for banding, both lengthwise and crosswise. This allows the pallet load to be additionally secured easily with lashing straps.
The pallet lid can be used in combination with a wide range of Euro standard bins: VDA-KLT automotive bins, E meat crates, CBL crates, Euro standard storage bins, etc.



**Transoplast**
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

## Matching accessories



83512201

**Transoplast**
+31(0)314 66 44 00
website@transoplast.com
transoplast.com