Article number: KS-RECR.MAT.WAGEN.COMBI

Plastic material trolley - 1380 x 600 x H 1750 mm - combination version, for various swimming and sports equipment - grey



TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1380 × 600 × 1750 mm
Material	PVC
Article number	KS-RECR.MAT.WAGEN.COMBI
Temperature range	-40°C to +40°C, briefly up to +80°C
Color	Grey

Properties

- **Plastic material trolley in a combination version - for various storage applications**
- **Dimensions 1380 x 600 x H 1600/1750 mm (= including top section) - grey with dark grey accents**
- **The combination material trolley is fitted with 3 shelves, with spacing of 550 mm and 700 mm**
- **The top shelf is fitted with 21 double hooks and a top section**
- **Fitted with centring slots in the shelf for safe storage of balls**
- **A top section is mounted on the upper shelf; this section has a height of 150 mm**
- **The bottom shelf is suitable for 3 stacking bins 600 x 400 x 421 mm (order no. 30.142.01100.15)**
- **The combination material trolley is fitted with 4 plastic swivel castors, 2 of which are braked - for stable positioning**
- **Made from high-quality plastic and therefore highly resistant to chemicals - for example salts and chlorine**
- **Impact-resistant and shock-resistant plastic that is also corrosion-free and durable**
- **Hygienic, easy to clean and food-safe**
- **Particularly easy to move thanks to the lightweight construction**
- **Option: green with dark grey accents**

Description

This **plastic material trolley** in a **combination version** (1380 x 600 x H 1600/1750 mm) is an ideal solution for the efficient and corrosion-free storage of various swimming and sports equipment. Thanks to its generous dimensions, the trolley offers ample space to keep different items neatly organised, from swimming aids and kickboards to play equipment for activities in and around the water.

Construction

The material trolley is made from plastic profiles with a spacing of 90 mm. Thanks to its lightweight construction and swivel castors with rubber tread, the trolley is **particularly easy to move**. On sloping surfaces or during storage, the trolley can be parked securely using the **2 braked castors**.

The use of high-quality plastic makes the trolley highly resistant to chemicals and particularly suitable for environments containing **chlorine** and **salts**. In addition, the material trolley is highly **impact-resistant**, **corrosion-free** and very **easy to clean**.

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Matching accessories



30.142.0117



30.142.01100.15

Alternative articles



KS-RECR.ATTR.WAGEN.DEKS



KS-RECR.ATTR.WAGEN



30.142.0117



30.142.01100.15

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com