

Article number: 83360201.DUOL2 Printing possible

Plastic pallet D1-DUO ECO - 1500 x 800 mm - with 7 mm rims all around - 3 pallet runners - reinforced







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1500 × 800 × 150 mm
Dynamic load capacity	1000 kg
Material	Recycled ECO-HDPE
Article number	83360201.DUOL2
Weight (kg)	20 kg
Temperature range	-30°C to +40°C / briefly up to +90°C
Color	Black
Static load capacity	5000 kg
Edge height	7 mm

Properties

- **Large-format plastic pallet size 1500 x 800 x H 150 mm**
- **Made from ECO regranulate: suitable for non-food items and packed food products**
- **The D1-DUO ECO is based on the design of the D1 ECO pallet, with raised rims**
- **In this version, two D1 ECO pallets are sustainably welded together**
- **The D1-DUO pallet is equipped with 3 pallet runners lengthwise**
- **The deck is additionally reinforced with 2 integrated reinforcement profiles lengthwise; corrosion-resistant design**
- **Extremely strong and robust, making it the ideal solution for large-format loads**
- **RFID technology can be integrated into the pallet without any issues, even retrofitted. The RFID tag holder provides long-lasting protection against external influences**
- **D1 pallet runners are chamfered on both sides for smooth handling with pallet trucks**
- **Raised rims around the D1 prevent the load from sliding off and prevent empty pallets from shifting against each other**
- **The D1 pallet is extra strong thanks to an angled connection between the pallet runners and the blocks**

Description

Plastic large-format pallet (1500 x 800 x H 150 mm), type D1-DUO ECO, made from robust ECO regranulate. Based on two pallets of type D1 ECO, which are shortened and then sustainably welded together. Equipped with 3 pallet runners lengthwise, underside with blocks and pallet runners open (ribbed), with 7 mm rims all around. The top deck is fitted with two integrated reinforcement profiles in the longitudinal direction. The maximum dynamic load is 1000 kg with evenly distributed load and a wide forklift tine position. Also available in a version without rims on the top deck. Various organisations use large-format pallets to their full satisfaction.

Matching accessories



81100000



81100001

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Alternative articles



83360206



83360200



83360201

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com