
Article number: 83360201.TRIO1 Printing possible

Plastic pallet - D1-TRIO ECO - 3000 x 800 mm - with 7 mm rim all around - 3 pallet runners - reinforced





Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	3000 × 800 × 150 mm
Dynamic load capacity	1000 kg
Material	Recycled ECO-HDPE
Article number	83360201.TRIO1
Weight (kg)	44 kg
Temperature range	-30°C to +40°C / briefly up to +90°C
Color	Black
Static load capacity	5000 kg
Edge height	7 mm

Properties

- **Large-format plastic pallet size 3000 x 800 x H 150 mm**
- **Made from ECO regranulate: suitable for non-food items and packed food products**
- **The D1-TRIO ECO is based on the design of the D1 ECO pallet, with raised rims**
- **In this version, three D1 ECO pallets are sustainably welded together**
- **The D1-TRIO pallet is equipped with 3 pallet runners lengthwise**
- **The deck is additionally reinforced with 4 integrated reinforcement profiles lengthwise, corrosion-resistant design**
- **Extremely strong and robust, making it the ideal solution for large-format loads**
- **RFID technology can be integrated into the pallet without any issues, even retrofitted. The RFID tag holder provides long-lasting protection against external influences**
- **The three pallet runners are chamfered on both sides for smooth handling with pallet trucks**
- **Raised rims around the D1 prevent the load from sliding off and prevent empty pallets from shifting against each other**
- **The D1 pallet is extra strong thanks to an angled connection between the pallet runners and the blocks**

Description

Plastic large-format pallet (3000 x 800 x H 150 mm), type D1-TRIO ECO, made from robust ECO regranulate. Based on three D1 ECO pallets, which are sawn to size and then sustainably welded together. Designed with 3 longitudinal pallet runners, an underside with blocks and open (ribbed) pallet runners, and raised rims all around (7 mm). The top deck is fitted with four integrated longitudinal reinforcement profiles. The maximum dynamic load is 1000 kg with an evenly distributed load and a wide forklift fork position. Also available as a D1-TRIO version without rims on the top deck and as a CS1-TRIO version with a largely closed top deck. Various organisations use these large-format pallets to their full satisfaction.

Matching accessories



81100000



81100001

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Alternative articles



83360206



83360200



83360201

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com