

Article number: 83102216.TRIO

Printing possible



Plastic pallet H1-TRIO ECO - 2400 x 1200 mm - with 7 mm rims all around - 7 pallet runners



Product specifications

External dimensions (L x W x H)	2400 × 1200 × 160 mm
Dynamic load capacity	1000 kg
Material	Recycled ECO-HDPE
Article number	83102216.TRIO
Weight (kg)	48 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Black
Static load capacity	5000 kg
Edge height	7 mm

Properties

Large-format plastic pallet size 2400 x 1200 x H 160 mm

Made from ECO regranulate, exceptionally impact-resistant and durable

Suitable for non-food items and packed food products

The H1-TRIO ECO is based on the H1 ECO pallet, with 7 mm rims all around (alternative: without rims)

In this version, three H1 ECO pallets are sustainably welded together

The H1-TRIO pallet is equipped with 7 pallet runners lengthwise

Extremely strong and robust, making it the ideal solution for large-format loads

H1 pallet runners are chamfered on both sides for smooth handling with pallet trucks

The raised rims around the H1 prevent the load from sliding off and prevent empty pallets from shifting against each other

The H1 pallet is extra strong thanks to an angled connection between the pallet runners and the blocks

This minimises breakage at these sensitive points

The stated dynamic load is based on an evenly distributed load and a wide forklift tine position

Description

Plastic large-format pallet (2400 x 1200 x H 160 mm), type H1-TRIO ECO, made from robust ECO regranulate. Based on three pallets of type H1 ECO, which are sawn and then sustainably welded together. Equipped with 7 pallet runners longitudinally, underside with blocks and pallet runners open (ribbed). With 7 mm rims all around. Static load capacity is 5000 kg and dynamic load capacity 1000 kg. Maximum dynamic load of 1000 kg with evenly distributed load and a wide forklift tine position. Also available in a version without rims on the top deck. Various organisations use the large-format pallets to their full satisfaction.

General

The dimensions of custom-made pallets are aligned with the customer's requirements as much as possible. However, the existing pallet construction is decisive for the welding work. As a result, the achievable dimensions may deviate by a few centimetres.

Alternative articles



87065881.DUO



83325201.DUO



83102216.DUO



83102216