Article number: 87065899.DUOL5 Printing possible

Plastic pallet TC1-DUO - 1650 x 800 mm - anti-slip - 3 pallet runners



Product specifications

External dimensions (L x W x H)	1650 × 800 × 150 mm
Dynamic load capacity	1000 kg
Material	HDPE
Article number	87065899.DUOL5
Weight (kg)	26 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Grey
Static load capacity	5000 kg

Properties

- **Large-format plastic pallet size 1650 x 800 x H 160 mm**
- **Made from HDPE and anti-slip**
- **Suitable for food applications (food-safe)**
- **The TC1-DUO is based on the TC1 pallet**
- **In this version, two TC1 pallets are sustainably welded together**
- **The TC1-DUO pallet is equipped with 3 pallet runners lengthwise**
- **Extremely strong and robust, making it the ideal solution for large-format loads**
- **TC1 pallet runners are chamfered on both sides for smooth handling with pallet trucks**
- **The TC1 pallet is extra strong thanks to an angled connection between the pallet runners and the blocks**
- **This minimises breakage at these sensitive points**
- **The stated dynamic load is based on an evenly distributed load and a wide forklift tine position**

TRANSOPLAST
Improves your Logistics

Transoplast
+31 314 664400
website@transoplast.com
transoplast.com/wp

Description

Plastic large-format pallet (1650 x 800 x H 160 mm), type TC1-DUO anti-slip. Based on two TC1 pallets with an anti-slip top deck. The TC1 pallets are sawn and then sustainably welded together. Equipped with 3 pallet runners lengthwise, underside pallet runners open (ribbed). The top and bottom deck of the TC1-DUO are completely smooth and closed, without external rib structures. The top deck has no rim and is fully fitted with an integral moulded Palgrip anti-slip surface. Static load capacity is 5000 kg and dynamic load capacity 1000 kg. Also available as a light-blue pallet with a dark-blue anti-slip top deck. Other sizes available on request.

General

The dimensions of custom-made pallets are aligned with the customer's requirements as much as possible. However, the existing pallet construction is decisive for the welding work. As a result, the achievable dimensions may deviate by a few centimetres.

Alternative articles



87035841.DUO



83102216.TRIO



87065899

Transoplast
+31 314 664400
website@transoplast.com
transoplast.com/wp