


Article number: 87035241.DUOL1

Printing possible



Plastic pallet TC3-DUO ECO - 2000 x 1000 mm - with 7 mm rims all around - 3 pallet runners



Product specifications

External dimensions (L x W x H)	2000 x 1000 x 160 mm
Dynamic load capacity	1000 kg
Material	Recycled HDPE
Article number	87035241.DUOL1
Weight (kg)	38 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Color	Black
Static load capacity	7500 kg
Edge height	7 mm

Properties

Large-format plastic pallet size 2000 x 1000 x H 160 mm

Made from ECO regranulate, exceptionally impact-resistant and durable

Suitable for non-food items and packed food products

The TC3-DUO ECO is based on the TC3 ECO pallet, with 7 mm rims all around (alternative: without rims)

In this version, two TC3 ECO pallets are sustainably welded together

The TC3-DUO pallet is equipped with 3 pallet runners in the longitudinal direction

Extremely strong and robust, making it the ideal solution for large-format loads

TC3 pallet runners are chamfered on both sides for smooth handling with pallet trucks

The raised rims around the TC3 prevent the load from sliding off and prevent empty pallets from shifting against each other

The TC3 pallet is extra strong thanks to an angled connection between the pallet runners and the blocks

This minimises breakage at these sensitive points

The stated dynamic load is based on an evenly distributed load and a wide forklift tine position

Description

Plastic large-format pallet (2000 x 1000 x H 160 mm), type TC3-DUO ECO, made from robust ECO regranulate. Based on two pallets of type TC3 ECO, which are sawn and then sustainably welded together. Equipped with 3 pallet runners in the longitudinal direction, underside with blocks and pallet runners closed. With 7 mm rims all around. Static load capacity is 7500 kg and dynamic load capacity 1250 kg. Maximum dynamic load of 1250 kg with evenly distributed load and a wide forklift tine position. Also available in a version without rims on the top deck. Various organisations use DUO pallets to their full satisfaction.

General

The dimensions of custom-made pallets are aligned with the customer's requirements as much as possible. However, the existing pallet construction is decisive for the welding work. As a result, the achievable dimensions may deviate by a few centimetres.

Alternative articles

