

Article number: 83389999 Printing possible

UN-approved pallet box CB1 - 1200 x 800 mm - UN code 11H2/X - light grey







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1236 × 836 × 766 mm
Internal dimensions (L x W x H)	1115 × 715 × 595 mm
Capacity	470 liter
Sidewalls	Closed, reinforced
Material	HDPE
Article number	83389999
Weight (kg)	40 kg
Temperature range	-30°C to +40°C
Color	Grey
Bottom	Closed, reinforced
Max. load capacity per box	500 kg
Max. static stacking load	1000 kg
Quantity per pallet	3

Properties

- **Pallet box type CB1 (1200 x 800 x H 740 mm) with drop-on lid and tie-down straps**
- **Dimensions incl. lid: 1236 x 836 x H 766 mm**
- **The CB1 pallet box with lockable lid is certified with UN code 11H2/X**
- **Certified as a UN box according to 11H2 (plastic pallet box with lockable lid) for highly dangerous goods with code X**
- **For transport and storage of solid dangerous goods in packing groups I, II and III**
- **Approved as a UN overpack type 11H2: plastic pallet box with lockable lid**
- **Maximum payload (UN box incl. contents): 500 kg**
- **Stack load: max. 1000 kg**
- **With 3 runners for maximum stability and load capacity**
- **The runners are integral with the box - for a long service life**
- **Fitted all around with impact protection above the entry openings**
- **Inside walls are completely smooth and flat - easy to empty and easy to clean**
- **Made from virgin PE and highly chemical-resistant**
- **Stable stacking via the integrated stacking lugs on the corners**
- **Very robust one-piece pallet box that reliably protects your dangerous goods**
- **Options: RFID transponders - QR code and barcode - printing - available in various colours**

Description

Light grey plastic pallet box (1200 x 800 x H 740 mm - 470 liter), type CB1 with grey lid. This impact-resistant plastic pallet box on three pallet runners is supplied with a matching drop-on lid and is locked using four tie-down straps. The CB1 box is produced as a single piece using the injection-moulding process, making it exceptionally robust. The lower wall panels are additionally reinforced with a heavy rib structure. This acts as a buffer against impact damage. As a result, the CB1 box is an ideal pallet box for dangerous goods. The CB1 is UN-certified as packaging type 11H2 and has received UN approval for “highly dangerous goods” (code X) – and is therefore approved for the transport and storage of dangerous goods in packing groups I, II and III, including lithium batteries and accumulators (not critically defective). The box complies with the regulations set out in the ADR for road transport, as well as the requirements for transporting dangerous goods by rail (RIO), by sea (IMDG Code) and by air (IATA-DGR).

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com