Article number: 83281419 Printing possible

UN-approved pallet box CB3 - 1200 × 1000 mm - UN code 4H2/Y - green







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1236 × 1036 × 766 mm
Internal dimensions (L x W x H)	1130 × 925 × 595 mm
Capacity	610 liter
Sidewalls	Closed, reinforced
Material	HDPE
Article number	83281419
Weight (kg)	44,8 kg
Temperature range	-30°C to +40°C
Color	Green
Bottom	Closed, reinforced
Max. load capacity per box	439 kg
Max. static stacking load	1340 kg
Quantity per pallet	4

Properties

- **Pallet box type CB3 (1200 × 1000 × H740 mm) with fit-on lid and tension straps**
- **Dimensions incl. lid: 1236 × 1036 × H766 mm**
- **The CB3 pallet box with lockable lid is certified with UN code 4H2/Y**
- **Certified as a UN box for medium-dangerous goods (code Y)**
- **For transport and storage of solid dangerous goods in packing groups II and III**
- **Approved as UN overpack type 4H2 (rigid plastic box)**
- **Load capacity: 439 kg**
- **Maximum stacking load: 1340 kg**
- **With three pallet runners for maximum stability and load bearing capacity**
- **The runners are one-piece with the box - for a long service life**
- **Fitted all around with impact protection above the entry openings**
- **The inner walls are completely smooth and flat - easy to empty and easy to clean**
- **Made from virgin PE and highly chemical-resistant**
- **Stable stacking thanks to integrated stacking lugs on the corners**
- **Very robust one-piece pallet box that reliably protects your hazardous goods**
- **Options: RFID transponders - QR code and barcode - printing - available in various colours**

Description

Green plastic pallet box (1200 × 1000 × H 740 mm - 610 liter) type CB3 with a grey pallet lid. This impact-resistant plastic pallet box on three pallet runners is supplied with a matching fit-on lid and is secured using two tension straps. The CB3 box is produced in one piece by injection moulding, making it exceptionally robust. The lower wall panels are additionally reinforced with a heavy rib structure, acting as a buffer against impact damage from trucks or forklifts. This makes the CB3 an ideal pallet box for hazardous goods. The CB3 has UN approval for medium-dangerous goods (code Y) and is approved for the transport and storage of solid dangerous goods from packing groups II and III, including lithium batteries and rechargeable lithium battery packs (not critically defective). The box complies with the regulations laid down in ADR for road transport, as well as the requirements for transport of dangerous goods by rail (RID), by sea (IMDG Code) and by air (IATA-DGR).

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Alternative articles



83381819



83281919

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com