

Article number: 83289999 Printing possible

UN-approved pallet box CB3 - 1200 x 1000 mm - UN code 11H2/X - light grey







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	1236 × 1036 × 766 mm
Internal dimensions (L x W x H)	1130 × 925 × 595 mm
Capacity	610 liter
Sidewalls	Closed, reinforced
Material	HDPE
Article number	83289999
Weight (kg)	43,5 kg
Temperature range	-30°C to +40°C
Color	Grey
Bottom	Closed, reinforced
Max. load capacity per box	600 kg
Max. static stacking load	1200 kg
Quantity per pallet	4

Properties

- **Pallet box type CB3 (1200 x 1000 x H 740 mm) with drop-on lid and tie-down straps**
- **Dimensions incl. lid: 1236 x 1036 x H 766 mm**
- **The CB3 pallet box with lockable lid is certified with UN code 11H2/X**
- **Certified as a UN box for highly dangerous goods with code X**
- **For transport and storage of solid dangerous goods in packing groups I, II and III**
- **Approved as a UN overpack type 11H2 (plastic pallet box with lockable lid)**
- **Payload: 600 kg**
- **Net filling weight: max. 556.5 kg**
- **Maximum stack load: max. 1200 kg**
- **With 3 runners for maximum stability and load capacity**
- **The runners are integral with the box - for a long service life**
- **Fitted all around with impact protection above the entry openings**
- **Inside walls are completely smooth and flat - easy to empty and easy to clean**
- **Made from virgin PE and highly chemical-resistant**
- **Stable stacking via the integrated stacking lugs on the corners**
- **Very robust one-piece pallet box that reliably protects your dangerous goods**
- **Options: RFID transponders - QR code and barcode - printing - available in various colours**

Description

Light grey plastic pallet box (1200 x 1000 x H 740 mm - 610 liter), type CB3 with grey lid. This impact-resistant plastic pallet box on three pallet runners is supplied with a matching drop-on lid and is locked using four tie-down straps. The CB3 box is produced as a single piece using the injection-moulding process, making it exceptionally robust. The lower wall panels are additionally reinforced with a heavy rib structure. This acts as a buffer against impact damage. As a result, the CB3 box is an ideal pallet box for dangerous goods. The CB3 has UN approval for highly dangerous goods (code X) and is approved for the transport and storage of solid dangerous goods in packing groups I, II and III, including lithium batteries and accumulators (not critically defective). The box complies with the regulations set out in the ADR for road transport, as well as the requirements for transporting dangerous goods by rail (RIO), by sea (IMDG Code) and by air (IATA-DGR).

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com