


Article number: 81941998

Printing possible



UN-approved pallet box SB3 - 1200 x 1000 mm - UN code 50H/X - rim-stackable - light grey



Product specifications

| | |
|----------------------------------|----------------------|
| External dimensions (L x W x H) | 1200 x 1000 x 790 mm |
| Internal dimensions (L x W x H) | 1122 x 912 x 590 mm |
| Capacity | 610 liter |
| Sidewalls | Closed, reinforced |
| Material | HDPE |
| Article number | 81941998 |
| Weight (kg) | 51,5 kg |
| Temperature range | -30°C to +40°C |
| Color | Grey |
| Bottom | Closed, reinforced |
| Max. load capacity per box | 600 kg |
| Max. static stacking load | 1200 kg |
| Quantity per pallet | 4 |

Properties

Pallet box type SB3 (1200 x 1000 x H 790 mm) with drop-on lid and tie-down straps

Rim-stackable (Euro stacking system)

Dimensions incl. lid: 1218 x 1018 x H 834 mm

The SB3 pallet box with lockable lid is certified with UN code 50H/X

Certified as a UN box for highly dangerous goods with code X

For transport and storage of solid dangerous goods in packing groups I, II and III

Approved as a UN overpack type 50H: large plastic pallet box with lockable lid

Maximum payload: 600 kg

Maximum stack load: 1200 kg

With 3 runners for maximum stability and load capacity

The runners are integral with the box - for a long service life

Fitted all around with impact protection above the entry openings

Inside walls are completely smooth and flat - easy to empty and easy to clean

Made from virgin PE and highly chemical-resistant

Very robust one-piece pallet box that reliably protects your dangerous goods

Options: RFID transponders - QR code and barcode - printing - available in various colours

Description

The SB3 box in general

Light grey plastic pallet box type SB3 (1200 x 1000 x H790 mm) in a rim-stackable design (Euro stacking system), with a grey lid and fitted with tension straps. This impact-resistant plastic pallet box on three sleds is fitted with a matching lid and locked by means of four tension straps. The SB3 box is produced in one piece using the injection moulding process and is therefore particularly robust. The lower wall panels are additionally reinforced with a heavy ribbed structure. This serves as a buffer against impact damage caused by forklift collisions.

UN approval

These product features make the SB3 box an ideal pallet box for hazardous materials. The SB3 has UN approval for highly hazardous substances (code X) and is approved for the transport and storage of solid hazardous substances from packaging groups I, II and III, including batteries and lithium batteries (not critically defective). The box complies with the regulations laid down in ADR for road transport, as well as the requirements for the transport of hazardous substances by rail (RIO), by sea (IMDG Code) and by air (IATA-DGR).

