
Article number: 50.CR.600.08 Printing possible

Clixrack Glass basket 600 x 400 mm gray - glass height max. 72mm - with red 2 x 4 compartment division - maximum Ø glass 134mm





Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Product specifications

External dimensions (L x W x H)	600 × 400 × 110 mm
Internal dimensions (L x W x H)	563 × 363 × 72 mm
Handles	Open handles, for more comfortable carrying
Sidewalls	Open, for optimum washing result and a faster drying process
Material	PP
Article number	50.CR.600.08
Weight (kg)	1,65 kg
Color	Grey
Bottom	Open and especially reinforced, so suitable for use in basket transport machines with transport hooks
Maximum glass height	72

Properties

- **The universal basket is suitable for mixed loading with glassware and dishes.**
- **Clixrack glass baskets ensure safe transport and efficient storage of your glassware and dishes.**
- **The open construction of the baskets ensures optimal rinsing results.**
- **Clixrack offers a wide range of standard compartment dividers.**
- **Custom compartment dividers are also available, with the divider grid increasing by 15 mm increments.**
- **The type of compartment divider for the Clixrack depends on the diameter of the glass. A size chart allows you to easily determine the suitable basket layout. We will send a size chart free of charge upon request.**
- **Once the height and diameter of the glass or dish are determined, provide the information to our product advisors. They will gladly advise on the most optimal configuration.**
- **Clixrack glass baskets have Euro norm dimensions, fitting on mobile stands 600 x 400 mm, on roll containers measuring 600 x 800 mm, on Euro pallets 1200 x 800 mm, and on Industry pallets 1200 x 1000 mm.**
- **Clixrack dishwashing baskets can be stacked with most Euro norm stacking containers 600 x 400 mm. Stacking containers 400 x 300 mm can be stacked on Clixrack baskets.**
- **Clixrack baskets have 4-sided receptacles for color clips, intended for indicating contents, etc.**
- **Due to the double bottom construction, the dishwashing basket is suitable for use in basket transport machines with transport hooks.**

Matching accessories



99.CVSH.600



50.CLIP



30.608.GDH.10



52.TR6040.4.K



2800.520.312



2800.510.312

TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com

Alternative articles



50.CLIP



52.TR6040.4.K

Transoplast
+31(0)314 66 44 00
website@transoplast.com
transoplast.com