


Article number: 4151.760.661



# VDA R-KLT Stacking bin (4315) - 396 x 297 x H 147 mm (reinforced base)



## Product specifications

External dimensions (L x W x H)	396 x 297 x 147 mm
Internal dimensions (L x W x H)	346 x 265 x 110 mm
Capacity	10 liter
Handles	Closed
Sidewalls	Closed
Material	PP
Article number	4151.760.661
Weight (kg)	1,29 kg
Temperature range	-30°C to +80°C
Color	Blue
Bottom	Closed, extra reinforced
Max. load capacity per box	20 kg
Max. static stacking load	600 kg
Max. dynamic stacking load	300 kg

## Properties

Integrated label holders on all four sides for easy identification.

Smooth bottom with drain holes for easy cleaning.

Resistant to oils, acids, and alkalis.

Optional lid available for additional product protection.

VDA standardized for use in the automotive and supplier industry.

Designed for automated handling.

High dimensional stability and robustness.

Composite stacking base for efficient stacking.

Smooth inner surfaces make the container easy to clean.

Low tare weight for increased effective volume.

Ergonomic handles for easy handling.

Reinforced outer walls to prevent deformation under heavy loads.

External dimensions: 396 mm x 297 mm x 147.5 mm.

Usable volume: 10 liters.

Made from polypropylene (PP).

Temperature range: -10 °C to 50 °C.

## Description

Stacking crate (396 x 297 x H 147 mm - 10.1 liters) in heavy-duty design. Completely closed without bottom perforations. The bottom is partially reinforced for extra strength. The VDA R-KLT crate is equipped with fixtures for automated handling and features integrated label holders. The stacking crate is commonly used in the automotive industry for heavier components.

## Matching accessories

