

Article number: 4172.004.662



# VDA RL-KLT Stacking bin (4280) - 396 x 297 x H 280 mm (smooth base)



## Product specifications

External dimensions ( L x W x H)	396 x 297 x 280 mm
Internal dimensions (L x W x H)	345 x 260 x 262 mm
Capacity	24 liter
Handles	Closed
Sidewalls	Closed
Material	PP
Article number	4172.004.662
Weight (kg)	1,7 kg
Temperature range	-30°C to +80°C
Color	Blue
Bottom	With drain holes, smooth
Max. load capacity per box	20 kg
Max. static stacking load	600 kg
Max. dynamic stacking load	300 kg

## Properties

**VDA approved: Industry-standard stacking container for the European automotive industry.**

**Resistant to oils, acids, and alkalis.**

**Smooth base and walls for easy cleaning.**

**Optimized internal volume for efficient storage and transportation.**

**Reinforced base for compatibility with all conveyor systems.**

**Fire-safe design with drainage holes.**

**Ergonomic handles on the short sides for comfortable handling.**

**Inter-stackable: Fits alongside other RL-KLT models.**

**Fully recyclable for sustainability.**

**Optional lid available for extra protection against dust and contaminants.**

**External dimensions: 396 mm x 297 mm x 280 mm.**

**Net weight: 1.7 kg.**

**Usable volume: 24 liters.**

**Maximum static load: 600 kg.**

**Maximum dynamic load: 300 kg.**

**Made from polypropylene (PP).**

**Temperature range: -10 °C to 40 °C.**

## Description

The VDA RL-KLT stacking container (model 4280) is a versatile and efficient container measuring 396 x 297 x H 280 mm and features a smooth bottom. This stacking container is designed to meet various storage needs across different industries. With its streamlined size and smooth bottom, this container is ideal for the safe and efficient storage and transportation of various goods.

The dimensions of 396 x 297 x H 280 mm make this stacking container widely applicable across various sectors. The closed construction with drainage holes in the bottom ensures an efficient and safe storage environment. Additionally, this stacking container is equipped with receptacles for automated handling, facilitating easy manipulation. Moreover, it features integrated label holders for clear content identification.

Thanks to its versatile size and smooth bottom, the VDA RL-KLT stacking container (4280) is an excellent choice for various sectors. It is frequently used in diverse industries, including the automotive sector, where safe and efficient storage of goods of various kinds is crucial.

## Matching accessories

